



### ROSCO LABORATORIES MODEL 1700 FOG MACHINE

An affordable, professional fog machine for production people in theatre, clubs, discos or anywhere a controlled fog effect is needed. The Model 1700 includes a volume control on the remote that is standard equipment allowing the user to dial up the exact amount of fog needed for each effect. Also included are on/off timers for automatic initiation and cessation of a fog effect. Up to four Model 1700 machines can be daisy chained from a single remote. Useful in venues where more than one machine is required to fill the space with fog or smoke. An optional DMX interface is available so this unit can be fully controlled from a lighting control board. The remote control can be stored in the machine and comes with a 15-foot cable. Extension cables for extending the remote 50 or 100 feet are also available. The machine will hold either a 2.5- or 4-liter container of fluid and will use any Rosco fog fluid.

ITEM	DESCRIPTION	PRICE
1700-FOGGER.....	Fog machine, 120V with timed remote.....	773.44
1700-FOGGER-CASE.....	Model 1700 carrying case.....	444.08
1700-REMOTE-CABLE-50.....	50' remote extension.....	66.61
1700-REMOTE-DMX.....	Model 1700 DMX Remote.....	220.31

### ROSCO ALPHA 900 FOG MACHINE

The Alpha 900 is a low cost, high output fog machine. It weighs less than 12 pounds, but produces a large volume of fog from its 1000 watt heater. Includes a handheld remote control with 30' cable.

ITEM	DESCRIPTION	PRICE
ALPHA-900.....	Alpha 900 fog machine.....	433.13

### ROSCO DELTA 3000 FOG MACHINE

Capable of filling many stages in less than a minute, the Delta 3000 is made of a cast aluminum heat exchanger that houses a 1500W heater element. Rosco's Delta technology allows you to treat the fog machine's controls as you would a light fixture's controls by starting and ending it on cue. The Delta 3000 is controlled via digital or analog DMX remote (sold separately).

ITEM	DESCRIPTION	PRICE
DELTA-3000.....	Fog machine.....	783.13
DELTA-3000-CASE.....	Case for Delta 3000.....	394.74
REMOTE-DELTA-DIGITAL.....	Digital DMX remote for Delta 3000.....	373.63
08200-0034.....	Fog fluid, 1 liter.....	16.95

### ROSCO I-CUE INTELLIGENT MIRROR

An intelligent mirror accessory designed to allow users of ellipsoidal spotlights to achieve many of the moving light effects traditionally available with automated fixtures. The unit is controlled via DMX 512 in 8-bit or 16-bit resolution. The moving mirror head offers smooth pan and tilt, as well as quick response re-positioning. The Rosco I-Cue ships ready to fit ETC Source Four, Altman Shakespeare, Strand SL, Selecon Pacific or any other light fixture with a 6.25" gel slot.

ITEM	DESCRIPTION	PRICE
I-CUE.....	Intelligent mirror.....	677.63
PSU-50.....	I-CUE power supply.....	132.97



### ROSCO IPRO IMAGE PROJECTOR™

The iPro Image Projector™ projects images created from simple plastic slides. These iPro Slide cartridges are then attached to the back plate of the iPro and inserted into the iris slot of any one of several common luminaires. Even at 100% intensity, the iPro Slide will last from 15-50 hours with no fading or degradation. Choose any image from the Rosco iPro Slide Library (over 400 designs in 14 categories) or order a custom iPro Slide from your design. For last minute changes, an iPro Slide Kit is also available with easy instructions to design and print slides on-site.

ITEM	DESCRIPTION	PRICE
IMAGE-PRO-PROJECTOR.....	Image projector.....	287.63
HYBRID-TWO-FER.....	Power supply, allows you to connect the iPro and your light fixture into the same dimmer.....	53.57
IPRO-SLIDE-KIT.....	1-time slide kit which includes the slide mount and protective film to make an iPro slide with transparency film (not included) and your own printer.....	28.28
IPRO-SLIDE-LIBRARY.....	More than 400 images that can be made into an iPro slide, 24 hour turnaround.....	38.03
IPRO-CUSTOM-SLIDE.....	Turn your design into an iPro slide, 24 hour turnaround.....	38.03

### ROSCO BELT DRIVE ROTATORS

Belt Drive FX units are designed for applications including theater, television and long running installations. They feature high-temperature silicon belts that are virtually silent at all speeds. The Belt Drives are versatile, fitting steel, litho glass or effect glass gobos. Also featured are reliable stepper motors for smooth drive even at the slowest speed.

ITEM	DESCRIPTION	PRICE
SIMPLE-SPIN.....	Dual gobo rotator, single motor.....	333.78
REVO.....	Dual indexing rotator, two variable speed motors.....	418.28
REVO-PRO.....	Dual programmable rotator, DMX or stand-alone.....	502.78



### AMERICAN DJ FOG-STORM-1200HD HIGH OUTPUT FOG MACHINE

- 1200W high output fog machine
- Electronic heater stays hot at all times with no warm-up time between fog blasts
- 25' cable remote
- External fog control switch
- 7,000 cu. ft. per minute fog output
- Warm up time: 8 minutes
- 2.5-liter removable fog fluid tank
- Advanced cut-off system warns when fluid level is low and stops pumping when minimum level is reached

ITEM	DESCRIPTION	PRICE
FOG-STORM-1200HD.....	Fog machine.....	149.99

### ADJ DYNO-FOG II MEDIUM DUTY FOG MACHINE

- 1,000W medium duty fogger
- 4,000 cubic feet per minute output
- 10' cable with controller
- 1-quart removable fog fluid container
- Hanging bracket
- Warm-up time: 5 minutes
- Fluid Consumption Rate: 10 Minutes per Liter at 100% output

ITEM	DESCRIPTION	PRICE
DYNO-FOG-II.....	Medium duty fogger.....	99.99







# The World's Most Reliable Effects Machines!



LOW LYING FOGGERS

**Antari**<sup>®</sup>  
**FOG MACHINE**

Exclusive US distribution by Elation Professional.



BUBBLE MACHINES



FAZERS



FOGGERS



HAZERS



SNOW MACHINES

**FULL COMPASS**

PRO AUDIO | VIDEO | AV | LIGHTING  
MUSICAL INSTRUMENTS

**800-356-5844**  
**FULLCOMPASS.COM**



APOLLO DESIGN TECHNOLOGY RIGHT ARM®

Adds 300° pan and 270° tilt capabilities to a wide range of static theatrical and studio lighting fixtures. Video cameras or projectors can be added to a lighting rig with minimal prep. Features 2-point integral balancing system for the use of front- or rear-heavy fixtures without counterweights or fixture modification. It offers a wide range of adjustment for fixture heights and widths without removing shutters or existing yokes. Also features user-defined pan and tilt range, an LCD screen, a 5-pin output, and a 4-pin contains hardware for mounting your device to a pipe.



ITEM	DESCRIPTION	PRICE
AC-RIGHT-ARM-3 .....	Pan and tilt arm for static light fixtures, 40 lb. capacity.....	959.71
AC-RA-COUPLER .....	Right Arm half coupler kit.....	64.68

**APOLLO DESIGN TECHNOLOGY**  
**SMART MOVE® ROTATOR**

Holds 1 or 2 'B'-size round gobos, secured by a heavy-duty retaining ring. Made of machined aluminum, the retaining ring is secured in place by 2 spring clips for easy adjustment and replacement. It is belt-driven for quiet operation and powered by a rugged 24V power supply (included). The rotator's black powder coat 18-gauge steel provides rigidity and durability. Variable speed range from 0 to 21 RPM plus rotary switches for easy setting to desired effect.



ITEM	DESCRIPTION	PRICE
SM-MOVE-000.....	Smart Move Rotator.....	340.69
SM-MOVE-DMX.....	DMX controlled version.....	435.10
AC-SP-75W.....	Power supply for DMX version.....	116.39

**APOLLO DESIGN TECHNOLOGY SMART  
MOVE® VERTICAL** The Vertical features

motion, time, and speed presets that create vertical movement of patterns or text. It can have 2 individual images on 1 gobo, allowing 1 image at a time to be placed in the focal path of the fixture. Additional effects can be created by placing another gobo in the fixture's gobo slot. Engineered for quiet, reliable operation and easy change out, the Smart Move Vertical holds 1 metal, 1 B/W, or 1 color glass gobo. It has variable vertical travel of 1/4" to 1 1/2", variable dwell time, and 17 pre-programmed effects.



ITEM	DESCRIPTION	PRICE
SM-MOVE-VRT.....	Smart Move Vertical.....	340.69
SM-MOVE-VRT-DMX..	DMX controlled version.....	435.10
AC-SP-75W.....	Power supply for DMX version.....	116.39

**APOLLO DESIGN TECHNOLOGY POWER SUPPLIES** Smart Power™ power supplies provide

**SUPPLIES** Smart Power™ power supplies provide 24VDC to lighting accessories as well as control of indexing devices with a DMX signal.

- Smart Power 75W powers up to 1 MXR color mixer, 2 Smart Color scrollers, 5 Smart Move rotators, or a combination of these, (1) DMX 5-pin in, (1) DMX 5-pin out
  - Smart Power 200W powers up to 8 Smart Color PROs, 6 Smart Colors, 13 Smart Moves, 13 EZ Irises or 5 MXRs, or a combination of these, (1) DMX 5-pin in, (1) DMX 5-pin out, (4) 4-pin XLR out, (4) 4-pin XLR returns
  - Smart Power 400W powers up to 16 Smart Color PROs, 12 Smart Colors, 26 Smart Moves, 26 EZ Irises, 10 MXRs or a combination of these, (1) DMX 5-pin in, (1) DMX 5-pin out, (2) 4-pin XLR out, (2) 4-pin XLR returns
  - Smart Power 600W powers up to 24 Smart Color PROs, 18 Smart Colors, 40 Smart Moves, 40 EZ Irises, 15 MXRs or a combination of these, (1) DMX 5-pin in, (1) DMX 5-pin out, (6) 4-pin XLR out, (6) 4-pin XLR returns
- 



ITEM	DESCRIPTION	PRICE
AC-SP-75W	Smart Power 75W power supply	116.39
AC-SP-200W	Smart Power 200W power supply	517.14
AC-SP-400W	Smart Power 400W power supply	748.95
AC-SP-600W	Smart Power 600W power supply	980.78



APOLLO DESIGN  
TECHNOLOGY  
SMART COLOR  
PRO SCROLLERS

Quiet operation, local or remote fan speed control and pre-installed Gel Shield are still standard, but the Pro Series adds a larger, rectangular front aperture which provides 10% more light throughput. Also new to the Pro Series are standard 18 color frames, 18% lighter weight and 25% lower power consumption. All models feature universal or adjustable mounting tabs, push button menu with LED display, 4-pin XLR in/out ports for daisy chaining and front-load gel strings. Other standard features include state-of-the-art digital circuitry with rotary DMX addressing, an automatic scrolling mode to continuously scroll or frame-by-frame step through each color at various speeds, and remote fan control.



ITEM	DESCRIPTION	PRICE
SC-SCROLL-5-PRO .....	For narrow beam fixtures, 5.25" apertures .....	420.84
SC-SCROLL-7-PRO .....	For all ellipsoidal and many wash fixtures, 7.25" apertures .....	420.84
SC-SCROLL-10-PRO .....	For 1000-2000W fixtures, 10" apertures .....	517.14

**APOLLO DESIGN TECHNOLOGY MXR COLOR SCROLLER**

A new twist on Z-string color mixing using subtractive color mixing to achieve desired hue and saturation. MXR's innovative color selection and frame sequence maximize useful colors. Its direct-drive, 4-motor system provides quiet and smooth color transition with low power consumption. Includes universal mounting plate.



ITEM	DESCRIPTION	PRICE
AC-SCROLL-MXR	MXR color mixer	766.47

# Martin


## MARTIN PROFESSIONAL JEM COMPACT

**HAZER PRO** Robust, small and lightweight this versatile haze machine is designed for the highly demanding professional market. Its ability to produce exceptional atmospheric haze effects in a short period of time (1-minute heat up time) while operating at low noise levels make it ideal for nearly any application from shows and events to theatre, TV studios, clubs, cruise ships, theme parks and more. Simple to use with on-board DMX 5-pin and ODC system.



ITEM	DESCRIPTION	PRICE
JEM-COMPACT.....	Hazer, 2.5-liter, on-board DMX 5-pin.....	1221.13
G-PLUS-FLUID.....	4x2 5L fluid.....	38.32

**MARTIN MAGNUM 2500HZ HAZE MACHINE** The Magnum 2500HZ is a plug-and-play, easy-to-use hazer suitable for DJs, smaller venues, bars, and clubs. With a large fluid container and optional DMX, this hazer is ideal for installations.

- Continuous output with output and density level control
  - Timer and output level remote control
  - Integrated fan
  - 900W heat exchanger
  - 3.8-liter fluid capacity
  - Fluid-out sensing
- 



ITEM	DESCRIPTION	PRICE
MAGNUM-2500-HAZER.....	Haze machine.....	633.15
91612011.....	Optional DMX interface.....	99.53

**MARTIN MAGNUM-1800** The Magnum 1800 is a high-powered fogger suitable for any installation— from the largest to the smallest. Highly flexible, the 1800 is built sleek and rugged. Supplied with a timer remote control and featuring the same machine-saving overheat protection as Martin's larger machines.

- Onboard DMX
- Continuous output
- 580 m³/min fog output
- 9 minute heat-up time
- Optional flying kit
- 3.8-liter fuel capacity
- Different fluid options for different applications
- 1150 W (240V) / 1000W (110V) heat exchanger



ITEM	DESCRIPTION	PRICE
MAGNUM-1800.....	High-powered fogger .....	525.20
DJ-FLUID-5L.....	Regular DJ fluid .....	19.91
PROSMOKE-SUPER-5L.....	Pro Smoke Super (ZR Mix) fluid.....	22.20



## Follow us!

**Let us show you exactly what to expect with our lighting design computer modeling and pre-visualization.**



The **Apollo BTS Wrench** is the only wrench you'll need for the job. An adjustable wrench with a closed-end wrench built into the handle. The closed-end wrench includes the three sizes 3/4", 1/2", and 3/8" that provide easy access to the common bolt sizes found in the industry. The Apollo BTS Wrench is an ideal companion when focusing or striking a rig of conventional fixtures.

- Closed-end wrench comes with 3/4", 1/2", and 3/8" sizes
- Open handle design



Help support behind the scenes. Hang a fixture, help a friend.

The Multiform **HP3-90**, 90 watt (3550 lumens), is the perfect choice when high output three color LED fixtures are required. The HP3-90 can be programmed using RGB (red, green, blue) or HSL (hue, saturation, level) control. The Multiform **HP5-70** (2660 lumens) is a high power, five color fixture. For color critical applications, the HP5-70 uses red, green, blue, amber, and white LEDs to create precise, perfectly blended color. Flicker free operation, tunable white, and auto addressing are just some of the features.



HP3-90



HP5-70



- DMX 512 Control
- 315° Pan
- 270° Tilt
- 40 lb. Capacity
- Compact 26"x15"x7"
- (1) 4-pin Output
- (1) 5-pin Output

## RIGHT ARM®

**For Precise, Smooth, And Quiet Pan/Tilt Movement Of Static Devices**

The Right Arm adds pan and tilt capabilities to a wide range of static theatrical and studio lighting fixtures. The Right Arm® allows the designer to maximize the lighting rig without crowding fixtures or over-extending the budget. Video cameras and LCD projectors can be blended into the lighting rig with minimal preparation, providing easy adjustment from the lighting console. The Right Arm® conveniently repositions these devices in theatrical and church productions, corporate events, trade shows - anywhere flexibility in the light plot is needed.

### Other Apollo Lighting Products



For more information on all Apollo lighting solutions, contact your Full Compass sales representative today!



**800-356-5844**  
**FULLCOMPASS.COM**